

# Roscommon County Road Commission

Fred Chidester, Commissioner  
Justin Wykoff, Commissioner  
Jim Porath, Commissioner  
Brian Vaughn, Commissioner  
John Earley, Commissioner

820 E. West Branch Road  
Prudenville, MI 48651

Tim O'Rourke, Manager  
Phone: (989) 366-0333  
Fax: (989) 366-0299  
Website: [www.roscommoncrc.com](http://www.roscommoncrc.com)  
E-mail: [rcrc@roscommoncrc.com](mailto:rcrc@roscommoncrc.com)

## NOTICE TO BIDDERS

The Roscommon County Road Commission will receive sealed bids until 2:00 p.m. on Wednesday, February 13th, 2019. (Bids will be opened at 2:00 p.m. for tabulation and review. Bid results and staff recommendations will be presented to the board at their regular meeting February 14th, 2019, beginning 7:00 p.m.). Our office is located at 820 E. West Branch Road, Prudenville, MI 48651, for furnishing seasonal requirements of the following materials and/or items:

Aggregates – F.O.B. Suppliers Pit  
Corrugated Plastic Pipe  
Corrugated Galvanized Metal Pipe  
Coated Corrugated Metal Pipe  
Corrugated Aluminized Pipe  
Concrete Pipe & Catch Basins  
Hot Mix and Cold Patch Asphalt  
Seasonal Concrete (Curb & Gutter)  
Seasonal Concrete (Flat Work)  
**Mineral Well Brine (Dust Control)**  
Emulsified Asphalt  
Hydro-Seeding  
Crack and Joint Sealant Blocks  
Aerial Tree Work

All material must meet current Michigan Department of Transportation specifications. Additional information may be obtained at the office of the undersigned.

Specification and bid document may be obtained by contacting the Roscommon County Commission at the above address. **Bids must be in a sealed envelope and clearly marked as to the contents.**

The Board reserves the right to reject any or all bids, to waive informalities in the bids and to award the bid deemed to be in the best interest of Roscommon County. *Bids may be extended for multiple years with mutual agreement and Local Contractor Preference Policy may apply. Bids may be used on the state trunk line also.*

ROSCOMMON COUNTY BOARD  
OF ROAD COMMISSIONERS

Jim Porath, Chair  
Fred Chidester, Vice-Chair  
Brian Vaughn, Member  
John Earley, Member  
Justin Wykoff, Member

ROSCOMMON COUNTY ROAD COMMISSION  
 DELIVERY & APPLICATION OF MINERAL WELL BRINE  
 BID SHEET  
 2019

Delivery and application of approximately 600,000 gallons (total for all applications) of mineral well brine; minimum content of 21% calcium magnesium chloride. Application rate shall be 2,000 gallons per mile. First application is to be done May, 2019. The following is a list of townships and the number of applications per year:

\*\*\*ALL SCHEDULING WILL BE HANDLED BY THE ROSCOMMON COUNTY ROAD COMMISSION (NOT THE TOWNSHIPS).\*\*\*

| <u>Township</u>               | <u># of Applications</u> | <u>Gallons*</u> | <u>Bid price per gal.</u> |
|-------------------------------|--------------------------|-----------------|---------------------------|
| Markey                        | 2                        | 16,000          | _____                     |
| Gerrish                       | 2                        | 59,000          | _____                     |
| Ausable                       | 2                        | 16,000          | _____                     |
| Backus                        | 2                        | 11,000          | _____                     |
| Denton                        | 2                        | 17,000          | _____                     |
| Higgins                       | 2                        | 59,000          | _____                     |
| Lyon                          | 2                        | 50,000          | _____                     |
| Nester                        | 2                        | 14,000          | _____                     |
| Richfield                     | 2                        | 28,000          | _____                     |
| Roscommon                     | 2                        | 20,000          | _____                     |
| Roscommon Co.Primary Roads    |                          | 10,000          | _____                     |
| Roscommon CRC (winter maint.) |                          | 40,000          | _____                     |

\*Gallons listed are per application.

Certify calcium magnesium chloride \_\_\_\_\_%

\_\_\_\_\_  
 Company Name

\_\_\_\_\_  
 Date

\_\_\_\_\_  
 Address

\_\_\_\_\_  
 Telephone

\_\_\_\_\_  
 City, State, Zip

\_\_\_\_\_  
 Fax

\_\_\_\_\_  
 Authorized Signature