

Roscommon County Road Commission

Fred Chidester, Commissioner
Justin Wykoff, Commissioner
Jim Porath, Commissioner
Brian Vaughn, Commissioner
John Earley, Commissioner

**820 E. West Branch Road
Prudenville, MI 48651**

Tim O'Rourke, Manager
Phone: (989) 366-0333
Fax: (989) 366-0299
Website: www.roscommoncrc.com
E-mail: rcrc@roscommoncrc.com

NOTICE TO BIDDERS

The Roscommon County Road Commission will receive sealed bids until 2:00 p.m. on Thursday, May 14th, 2020. (Bids will be opened at 7:00 p.m. at their regular meeting May 14th, 2020). Our office is located at 820 E. West Branch Road, Prudenville, MI 48651.

SALT SHED ROOF REPLACEMENT

Specification and bid document may be obtained by contacting the Roscommon County Road Commission at the above address. Bids must be in a sealed envelope and clearly marked "SALT SHED ROOF REPLACEMENT"

The Board reserves the right to reject any or all bids, to waive informalities in the bids and to award the bid deemed to be in the best interest of Roscommon County.

ROSCOMMON COUNTY BOARD
OF ROAD COMMISSIONERS

Jim Porath, Chair
Fred Chidester, Vice-Chair
Brian Vaughn, Member
John Earley, Member
Justin Wykoff, Member

ROSCOMMON COUNTY ROAD COMMISSION
BID SPECIFICATION
FOR
SALT SHED ROOF REPLACEMENT
May 14th, 2020
7:00 p.m. BID OPENING

General

The Roscommon County Road Commission is accepting sealed bids for roof replacement of the salt shed. Located at 1772 S. Loxley, Houghton Lake, MI. 48629. Building size is 70' X 40' with a 4/12 pitched roof. (Approximately 36 square)

Requirements

- A. All contractors must be licensed and insured.
- B. Roofing underlayment shall be 15# felt.
- C. Shingle shall have a minimum of 30 year warranty, self-sealing, fiberglass/asphalt Architectural style shingle with 250 lbs. per square minimum weight with ridge vent. (matching old shingles)
- D. All tear off materials are the responsibility of contractor.
- E. Some OSB sheathing will need to be replaced. (as needed)
- F. Completion date ASAP

Name: _____

Address: _____

Telephone: (____) _____

Date: _____

Authorized Signature: _____

Bid Price for Shingle Replacement : \$ _____

Bid Price for OSB Sheeting Replacement per 4'X8' Sheet: \$ _____ EA.